

Patient Information

Name: _____



419 N. Curtis Boise, ID 83706

208-429-0026

Plastic AFO Workorder Rev. 11072023

Received: _____ By: _____

- Left Weight: _____
- Right Activity Level: _____
- Bilateral

PO#: _____ Date Needed: _____

Rush Charge Lab use only

Practitioner: _____ Ship to (if different): _____

Company: _____

Address: _____

City, State, Zip: _____

Email: _____

Phone: _____

Shipping Method: _____

UPS/Fedex #: _____

Prep Fill/Modify are typically 1 unit for pediatric, 2 for adult, and 3 for large AKs/hips/chest

- FF Fill
- FM Modify
- Adjust

AFO Type

- FAST Solid Ankle
- FALS Leaf Spring
- FAAT Art. Ankle
- FABVP Boise Bi

Plastic

- PolyPro
- CoPoly
- FATHD* - Heavy Duty
- FTFC ProComp 1/4"

Thickness

- 3/32" 1/8"
- 5/32" 3/16"
- 1/4"

Transfer Paper

ZTP _____

Inner Boot

- Yes FAIB No

Plastic

- PolyPro
- CoPoly
- MPE

Boot Trimline

- 3/4
- Total Contact

Thickness

- 3/32" 1/8"
- 5/32" 3/16"

Joints

Medial

Lateral

- ZTJ Tamarack
- Dorsi _____
- Free Motion
- ZBD Double Action
- Spring _____
- Pin _____

- ZTJ Tamarack
- Dorsi _____
- Free Motion
- ZBD Double Action
- Spring _____
- Pin _____

90° Stop

Heel Buttress FAHB

- Yes Lateral
- No Medial

Insole Support | External

- ZPIS Pelite In- _____ sole (per layer)
- Neutral to Bench
- Distance from Neutral _____

Straps

Ankle Center Calf Color

- ZS1 Velcro 1"- 1.5" _____ Black
- ZSHD1 Dacron 1"- 1.5" _____ Beige
- ZSV1 Velstretch 1"- 2" _____ White
- Other _____ Other

Attach Straps

- Yes No

Add. Padding

Thickness

Pad Type

- Yes ZAA No
- Ankle _____
- Plantar _____
- Calf _____
- Other: _____
- Puff Plast P.Cell Aliplast
- Puff Plast P.Cell Aliplast
- Puff Plast P.Cell Aliplast
- Puff Plast P.Cell Aliplast

Pad Color



- Black Other: _____

Quality Assurance

- ___ Smooth edges
- ___ Symmetrical trim
- ___ Pads glued/Incl.
- ___ Straps On/Incl.
- ___ Strap placement
- ___ Joint Alignment
- ___ Comp. Loctited
- ___ All parts Incl.
- ___ Proj. tote cleared
- ___ Engraved P.O.
- ___ Mods
- ___ Pull
- ___ Finish
- ___ QA
- ___ Finish Date

Modifications

Standard modifications are no reductions on AFOs with 1/8" ankle buildup



Mod Notes

Hourly Labor FHL _____

Additional Notes

Send cast/parts to: Coyote, 419 N. Curtis Rd., Boise, ID 83706